

# Adaptive Anchor Label Propagation for Transductive Few-Shot Learning

Michalis Lazarou<sup>1</sup>, Yannis Avrithis<sup>2</sup>,  
Guangyu Ren<sup>1</sup> and Tania Stathaki<sup>1</sup>

<sup>1</sup>Imperial College London, <sup>2</sup>IARAI

**IEEE International Conference of Image Processing**

Kuala Lumpur, Malaysia, October 2023

**Imperial College**  
**London**

IARAI

# What is few-shot learning

- Why is it important?



?

# Current approaches in few-shot learning

## Relevant literature

- Meta-learning:
  - Optimization based.
  - Metric based.
  - Model based.
- Transfer learning.
- Feature adaptation.
- Data Augmentation.

## Utilizing unlabeled data

- Data manifold exploitation:
  - Label propagation.
  - Embedding propagation.
- Iterative pseudo-label selection.
- Class centroid refinement:
  - Soft k-means.
  - Minimizing loss functions.

# Motivation

## Traditional Label Propagation algorithm

- We investigate the widely popular label propagation algorithm.
- We identify a limitation of label propagation, that the labeled data are fixed and may be in sub optimal positions.

## Contributions

- We propose a novel variant of label propagation algorithm named Adaptive Anchor Label Propagation ( $A^2LP$ ).
- $A^2LP$  optimizes the positions of the labeled data also referred to as labeled anchors.
- $A^2LP$  outperforms significantly the traditional label propagation in transductive few-shot learning.

# Motivation

## Traditional Label Propagation algorithm

- We investigate the widely popular label propagation algorithm.
- We identify a limitation of label propagation, that the labeled data are fixed and may be in sub optimal positions.

## Contributions

- We propose a novel variant of label propagation algorithm named Adaptive Anchor Label Propagation ( $A^2LP$ ).
- $A^2LP$  optimizes the positions of the labeled data also referred to as labeled anchors.
- $A^2LP$  outperforms significantly the traditional label propagation in transductive few-shot learning.

# Problem formulation and definitions

## Pre-training stage

- We use publicly available pre-trained networks from published works.
- Base class dataset:  $D_{\text{base}} := \{(x_i, y_i)\}_{i=1}^I$  where  $y_i \in C_{\text{base}}$ .
- Network  $f_{\theta} : \mathcal{X} \rightarrow \mathbb{R}^d$  is trained on  $D_{\text{base}}$ .

## Inference stage

- Novel class dataset  $D_{\text{novel}}$  with  $C_{\text{novel}}$  disjoint from  $C_{\text{base}}$ .
- Assume access to  $f_{\theta}$ , a support set,  $S$ , a query set,  $Q$ .
- We focus on transductive few-shot learning, where all  $S$  and  $Q$  are available at inference at the same time.

# Problem formulation and definitions

## Pre-training stage

- We use publicly available pre-trained networks from published works.
- Base class dataset:  $D_{\text{base}} := \{(x_i, y_i)\}_{i=1}^I$  where  $y_i \in C_{\text{base}}$ .
- Network  $f_\theta : \mathcal{X} \rightarrow \mathbb{R}^d$  is trained on  $D_{\text{base}}$ .


## Inference stage

- Novel class dataset  $D_{\text{novel}}$  with  $C_{\text{novel}}$  disjoint from  $C_{\text{base}}$ .
- Assume access to  $f_\theta$ , a support set,  $S$ , a query set,  $Q$ .
- We focus on transductive few-shot learning, where all  $S$  and  $Q$  are available at inference at the same time.

# A<sup>2</sup>LP: Nearest Graph Construction

1. Feature extraction


2. Nearest neighbour graph






# A<sup>2</sup>LP: Label Propagation

2. Nearest neighbour graph




3. Label propagation




# A<sup>2</sup>LP: Anchor Adaptation

3. Label propagation



4. Anchor Adaptation




# A<sup>2</sup>LP: Iteration

2. Nearest neighbour graph

3. Label propagation

4. Anchor Adaptation

5. Iterate



# Experimental results: Implemented baselines comparisons

ALGORITHM	<i>mini</i> IMAGENET		<i>tiered</i> IMAGENET	
	1-shot	5-shot	1-shot	5-shot
RESNET-12				
Prototypical classifier	54.23 $\pm$ 0.61	74.98 $\pm$ 0.48	67.21 $\pm$ 0.72	85.19 $\pm$ 0.48
Imprinting+ $L_{ce}$	54.53 $\pm$ 0.61	74.31 $\pm$ 0.49	67.53 $\pm$ 0.72	84.86 $\pm$ 0.48
LP	59.15 $\pm$ 0.66	73.50 $\pm$ 0.52	72.67 $\pm$ 0.74	84.61 $\pm$ 0.53
<b>A<sup>2</sup>LP</b>	<b>64.35<math>\pm</math>0.77</b>	<b>75.00<math>\pm</math>0.53</b>	<b>80.49<math>\pm</math>0.77</b>	<b>85.80<math>\pm</math>0.51</b>
WIDERESNET-28-10				
Prototypical classifier	65.35 $\pm$ 0.63	83.37 $\pm$ 0.43	73.47 $\pm$ 0.70	88.22 $\pm$ 0.45
Imprinting+ $L_{ce}$	66.07 $\pm$ 0.62	83.34 $\pm$ 0.42	74.07 $\pm$ 0.69	88.55 $\pm$ 0.43
LP	69.50 $\pm$ 0.64	81.28 $\pm$ 0.47	78.14 $\pm$ 0.72	87.63 $\pm$ 0.50
<b>A<sup>2</sup>LP</b>	<b>76.48<math>\pm</math>0.75</b>	<b>83.57<math>\pm</math>0.45</b>	<b>82.82<math>\pm</math>0.73</b>	<b>88.80<math>\pm</math>0.46</b>

- **A<sup>2</sup>LP** is significantly outperforming all implemented baselines.

# Experimental results: PLC pre-processing

ALGORITHM	<i>mini</i> IMAGENET		<i>tiered</i> IMAGENET	
	1-shot	5-shot	1-shot	5-shot
WIDERESNET-28-10				
Prototypical classifier	69.64 $\pm$ 0.60	84.61 $\pm$ 0.42	77.26 $\pm$ 0.65	89.22 $\pm$ 0.42
Imprint+ $L_{ce}$	68.77 $\pm$ 0.60	84.24 $\pm$ 0.42	76.13 $\pm$ 0.66	88.95 $\pm$ 0.42
LP	74.24 $\pm$ 0.66	84.59 $\pm$ 0.44	82.48 $\pm$ 0.70	90.07 $\pm$ 0.45
<b>A<sup>2</sup>LP</b>	<b>75.94</b> $\pm$ 0.72	<b>85.67</b> $\pm$ 0.42	<b>83.68</b> $\pm$ 0.72	<b>90.53</b> $\pm$ 0.43

- PLC: power transform,  $\ell_2$ -normalization, centering.
- Even when PLC pre-processing is used **A<sup>2</sup>LP** is outperforming all baselines.

# Experimental results: State of the art

ALGORITHM	<i>mini</i> IMAGENET		<i>tiered</i> IMAGENET	
	1-shot	5-shot	1-shot	5-shot
RESNET-12				
LR+ICI	66.80	79.26	80.79	87.92
CAN+Top- <i>k</i>	67.19 $\pm$ 0.55	80.64 $\pm$ 0.35	73.21 $\pm$ 0.58	84.93 $\pm$ 0.38
DPGN	67.77 $\pm$ 0.32	84.60 $\pm$ 0.43	72.45 $\pm$ 0.51	87.24 $\pm$ 0.39
WIDERESNET-28-10				
EP	70.74 $\pm$ 0.85	84.34 $\pm$ 0.53	78.50 $\pm$ 0.91	88.36 $\pm$ 0.57
SIB	70.00 $\pm$ 0.60	79.20 $\pm$ 0.40	72.90	82.80
SIB+E <sup>3</sup> BM	71.40 $\pm$ 0.50	81.20 $\pm$ 0.40	75.60 $\pm$ 0.60	84.30 $\pm$ 0.40
LaplacianShot	74.86 $\pm$ 0.19	84.13 $\pm$ 0.14	80.18 $\pm$ 0.21	87.56 $\pm$ 0.15
<b>A<sup>2</sup>LP</b>	<b>76.48</b> $\pm$ 0.75	83.57 $\pm$ 0.45	82.82 $\pm$ 0.73	88.80 $\pm$ 0.46
<b>A<sup>2</sup>LP+PLC</b>	75.94 $\pm$ 0.72	<b>85.67</b> $\pm$ 0.42	<b>83.68</b> $\pm$ 0.72	<b>90.53</b> $\pm$ 0.43

- Outperforming several state of the art methods.

# Conclusion

- We propose a novel variant of label propagation.
- Our algorithm iteratively adapts the labeled anchors.
- Significantly outperforms the traditional algorithm.
- Outperforms several state of the art methods.
- Future directions:
  - Different loss functions.
  - Beyond few-shot learning.

